



Notice of a Regular Meeting

A **Regular** meeting of the Board of Directors of the Charleston Rural Fire Protection District will be held on **May 20, 2026** at the Barview Fire Station, 92342 Cape Arago Highway, at **6:00 PM**. THIS IS A PUBLIC MEETING AND THE PUBLIC IS INVITED. Regular Business meeting is called to order in accordance with ORS192.610 to 192.690. This meeting may be recorded.

A zoom option is available for those who choose to attend online. The public will be able to attend in person, listen to the proceedings or to attend through video conferencing. The public may secure digital access to the Board meeting by sending an email to charchief8201@gmail.com by **2 PM May 20, 2026**. A link for the meeting will be emailed back to you.

REGULAR MEETING

Call meeting to order, Flag salute, and Rollcall.

Consent Agenda: (items will be approved by a single motion unless the Board chooses to address a single item separately during the meeting).

Minutes of: Regular meeting April 15, 2026

Financial: Approval of the statements of revenue and expense & check register April 2026

Reports & Correspondence

Administrative report: Alarm and drill statistics & operations report, Special awards

Unfinished Business

Additional Unfinished Business:

Any business that is required to come before the Board that has risen since the posting of the agenda.

New Business

Resolution 26-002

General Fund Transfer

MOU USCG Aids to Navigation

Review and action on an agreement for service to the USCG Aids to Navigation building.

Seasonal Firefighter Program

Review and action on a grant funded summer staffing program

Tax Correction

The Assessors office did not levy the full amount requested in November 2025

Income Survey contractor

Discussion on hiring Portland State University to complete an income survey required for a Federal Block Grant

Additional New Business

Any business that is required to come before the Board that has risen since the posting of the agenda.

Good of the Order

Adjournment